



High Quality Pressure Cleaners

www.comacindia.com

professional people



C 10

The CI C10 is a cold pressure washer with compact dimensions but that is high performing. It is also easy to handle and transport. The induction motor that the CI C10 is equipped with makes it a professional high - pressure washer. The CI C10 is the ideal pressure washer for cleaning walls, floors, stairs and outdoor areas.

Max Pressure (Bar)	150
Max Rated Flow (l/h)	450
Absorbed Power (KW)	2.1
Motor Type (Phase)	1
Max Water Inlet T°C	50
Pump Mechanical System	Wobble Plate
Unit Dimensions (LxWxH)mm	280x240x650
Unit Net Weight (kg)	18.5



CI 15

CI C15 is a high-pressure cleaner that is easy to use and move thanks to the ergonomic handle and its rubber wheels. Developed in a vertical position to be practical and maneuverable, the CI C15 can also be stored horizontally to make it even more handy.

Max Pressure (Bar)	180
Max Rated Flow (l/h)	600
Absorbed Power (KW)	3.1
Motor Type (Phase)	1
Max Water Inlet T°C	60
Pump Mechanical System	Wobble Plate
Unit Dimensions (LxWxH)mm	390x380x900
Unit Net Weight (kg)	32



KA 3200

KA 3200 Electrical cold water high-pressure cleaner Compact size for storing and practical to use, thanks to its vertical designs, Simple to transport horizontally in the car, Comet AXR pump with brass head Pressure gauge.

Max Pressure (Bar)	150
Max Rated Flow (l/h)	600
Absorbed Power (KW)	2.9
Motor Type (Phase)	1
Max Water Inlet T°C	60
Pump Mechanical System	Wobble Plate
Unit Dimensions (LxWxH)mm	440x420x940
Unit Net Weight (kg)	36



C20K EM

The CI C20 EM trolley cold pressure washer stands out for being compact and robust. Equipped with a trolley that has a robust, resistant structure thanks to its large back wheels with rubber treads and a practical aluminum handle, the CI C20 EM is solid but also agile and easy to move.

Max Pressure (Bar)	150
Max Rated Flow (l/h)	630
Absorbed Power (KW)	3
Motor Type (Phase)	1
Max Water Inlet T°C	60
Pump Mechanical System	Connecting Rod
Unit Dimensions (LxWxH)mm	460x460x810
Unit Net Weight (kg)	35.6



CI C25K EM

The CI C25K EM trolley cold pressure washer stands out for being compact and robust. Equipped with a trolley that has a robust, resistant structure thanks to its large back wheels with rubber treads and a practical aluminum handle, the CI C20 EM is solid but also agile and easy to move.

Max Pressure (Bar)	220
Max Rated Flow (l/h)	660
Absorbed Power (KW)	5
Motor Type (Phase)	3
Max Water Inlet T°C	60
Pump Mechanical System	Connecting Rod
Unit Dimensions (LxWxH)mm	440x460x810
Unit Net Weight (kg)	37.6



CI C30 EM

The CI C30 EM is a trolley cold pressure washer designed to be compact yet robust. it is a professional powerwasher capable of offering the perfect combination of performance, user-friendliness and easy maintenance. The CI C30 EM's robust metal trolley and two large wheels with rubber treads make it a solid high-pressure washer that is still easy to move.

Max Pressure (Bar)	230
Max Rated Flow (l/h)	900
Absorbed Power (KW)	7.4
Motor Type (Phase)	3
Max Water Inlet T°C	60
Pump Mechanical System	Connecting Rod
Unit Dimensions (LxWxH)mm	670x499x900
Unit Net Weight (kg)	54.8



Hot & Cold Models



K 250 11 210T/160M

Single phase /Three phase electrical cold water high-pressure cleaner with operating pressure up to 160/210 bar. Sturdy injection moulded plastic casing. Practical to use in both vertical and horizontal operating position. Detergent tank of 3.5 L.



K Premium 9.15

Three phase electrical cold water high-pressure cleaner with operating pressure up to 230 bar. Big wheels which enables better handling over uneven ground. Extractable 3.5 L detergent tank.



KP Classic 3.10 10/140 M

Single phase electrical hot and cold water high-pressure cleaner with operating pressure up to 140 bar. Fuel tank with level floater and fill up filter. Regulated low-pressure detergent suction. Pressure regulation & Pressure gauge.

Max Pressure (Bar)	210	160
Max Rated Flow (l/h)	660	660
Absorbed Power (KW)	5	3.3
Motor Type (Phase)	3	1
Max Water Inlet T°C	60	60
Pump Mechanical System	Connecting Rod	Connecting Rod
Unit Dimensions (LxWxH)mm	460x460x810	540x440x680
Unit Net Weight (kg)	35.6	40

Max Pressure (Bar)	230
Max Rated Flow (l/h)	900
Absorbed Power (KW)	7.3
Motor Type (Phase)	3
Max Water Inlet T°C	60
Pump Mechanical System	Connecting Rod
Unit Dimensions (LxWxH)mm	620x470x510
Unit Net Weight (kg)	55

Max Pressure (Bar)	150
Max Rated Flow (l/h)	600
Absorbed Power (KW)	3
Motor Type (Phase)	1
Max Water Inlet T°C	110
Pump Mechanical System	Wobble Plate
Unit Dimensions (LxWxH)mm	940x620x840
Unit Net Weight (kg)	95



KP Classic 5.12 12/180 T

Three Phase electrical hot and cold high-pressure cleaner with operating pressure up to 200 bar. Fuel tank with level floater and fill up filter. Regulated high-pressure detergent suction. "No fuel" indicator.



CI H10

CI H10 is a professional hot water pressure washer equipped with a single-phase electric motor able to guarantee excellent performance in the most difficult environments. Equipped with a solid and robust structure, this high-pressure machine has been designed for professional use.



CI H30

The professional hot water pressure washer CI H30 is equipped with a three-phase electric motor to ensure excellent performance even in the most difficult environments. Characterized by a compact, solid and robust structure, it is a high pressure machine perfect for professional and intensive use.

Max Pressure (Bar)	200
Max Rated Flow (l/h)	720
Absorbed Power (KW)	5.3
Motor Type (Phase)	3
Max Water Inlet T°C	110
Pump Mechanical System	Connecting Rod
Unit Dimensions (LxWxH)mm	940x620x840
Unit Net Weight (kg)	100

Max Pressure (Bar)	150
Max Rated Flow (l/h)	600
Absorbed Power (KW)	3
Motor Type (Phase)	1
Max Water Inlet T°C	90
Pump Mechanical System	Connecting Rod
Unit Dimensions (LxWxH)mm	1000x507x820
Unit Net Weight (kg)	90


Max Pressure (Bar)	190
Max Rated Flow (l/h)	600
Absorbed Power (KW)	3
Motor Type (Phase)	1
Max Water Inlet T°C	110
Pump Mechanical System	Connecting Rod
Unit Dimensions (LxWxH)mm	1000x507x820
Unit Net Weight (kg)	95



CONNECTING CLEAN INDIA

- Nation-wide network for sales and service
- Centralized customer response centre
- Highly experienced and professional team

**Toll Free
18001039164**



Branch Office:

- No.122, Ground Floor, Amarjyothi Layout, Inner Ring Road, Domlur, BANGALORE 560071 M: +91 9108028115
- 1391, Rajdanga Main Road, 2ndFloor, Block GA Plot 31. Police Station - Kasba, KOLKATA 700107 M: +91 9899118224
- 4/32 - Ground Floor, Bharathwajar Street, East Tambaram, CHENNAI - 600059, Tamil Nadu M: +91 9108028115
- Plot No. 28, Sitaram Nagar, PWD Officers Colony, Diamond Point, Bowenpally, Secunderabad, Telangana - 500009 M: +91 9999125121
- B5, Ashiana Trade Centre, Adityapur Jamshedpur-831013 Jharkhand M: +91 9899118224
- Flat No G/4, Amrut Siddhi CHSL, Near Natraj Society, Panchpakhadi, Thane (W) - 400602 Tel.: 022-66959966 M: +91 9899118209
- D232, Ground Floor, Vibhuti Khand, Gomti Nagar, Pin-226010 Lucknow M: +91 7510000828
- Ground Floor Office, Plot no. 2/B , Chandrama Bungalow, Premnagar Co-op Society, Near Hotel Nimantran, Bibwewadi, Pune - 411 037 M: +91 7387100969
- 456, Model Colony, Ranipur More Haridwar -249403 (Uttarakhand) M: +91 9899135506
- Office No. 7, 3rd Floor, Shree Govind Business Tower, Gautam Marg, Vaishali Nagar, JAIPUR - 302021 Tel.: 01412359682 M: +91 9811103061
- Office No. 203, Second Floor Golden Squire Chd. Ambala Highway, Zirakpur Punjab-140603 M: +91 9821495811
- Office No: 203, 2nd Floor, ABC -1, opp. Pushya Hospital, Near H L Commerce College road, Navrangpura, AHMEDABAD - 380009 M: +91 9899118226



Head Office :

Comac India Private Limited
Unit No. 126, First Floor, U.S. Complex 120 Mathura Road,
Opp. Apollo Hospital, New Delhi-110076,
Tel. Board: 71600600

Central Warehouse & Academy of Cleaning Science (CACS)
Plot No. 233, Budhpur, Delhi -110036

For enquiry - cleansolutions@comacindia.com
Website: www.comacindia.com or www.comac.it

professional people